



# Informatica

PR000041 Exam

**PowerCenter Data Integration 9.x:Developer Specialist**

Thank you for Downloading PR000041 exam PDF Demo

You can Buy Latest PR000041 Full Version Download

<https://www.certkillers.net/Exam/PR000041>

<https://www.certkillers.net>

---

**Question: 1**

---

Which of the following are supported file types, from which, an XML definition can be imported?  
Choose 3 answers

- A. XML
- B. XSD
- C. DTD
- D. DSDL

---

**Answer: A,B,C**

---

---

**Question: 2**

---

Which of these statements on worklets is correct?

- A. Worklets can be nested
- B. A worklet must be a reusable object
- C. A worklet can be executed separately
- D. A worklet does not have to contain a Start task

---

**Answer: A**

---

---

**Question: 3**

---

An Update Strategy transformation has the Forward Rejected Rows attribute unchecked. Which statement is correct and true?

- A. Records that are tagged for rejection are projected downstream to the next transformation so long as the ports are connected properly
- B. Records that are tagged for rejection are dropped and not projected downstream to the next transformation
- C. The Forward Rejected Rows attribute cannot be cleared after the transformation is created
- D. The Forward Rejected Rows attribute is only applicable when records are tagged for rejection upstream of the Update Strategy transformation

---

**Answer: B**

---

---

**Question: 4**

---

An Unconnected Stored Procedure can run in the following fashions?(Choose all that apply) Choose 3 answers

- A. From an expression
- B. As a Post-Session SQL command

- C. As a Pre-Session SQL command
- D. As the only object In the mapping

---

**Answer: A,B,C**

---

---

**Question: 5**

---

Which of the following Is NOT true of Aggregate functions?

- A. You can place an aggregate function in a variable port
- B. You can add a filter condition to calculate values for specific rows In the selected ports
- C. You can use operators to perform arithmetic within the function
- D. You can calculate a single value for all rows in a group

---

**Answer: A**

---

---

**Question: 6**

---

Which statement on workflows is correct?

- A. In a default configuration, a workflow must contain at least one session task
- B. A workflow can contain multiple start points
- C. In a default configuration, a workflow parameter file overrides all parameter files in underlying sessions
- D. Another workflow cannot be executed from within a workflow

---

**Answer: C**

---

---

**Question: 7**

---

Which of these statements is correct concerning a Lookup transformation's persistent cache?

- A. A persistent cache is stored on disk, and must be named to make it useable in multiple mappings
- B. persistent cache is stored on disk, to refresh the cache the disk files must be deleted manually
- C. When the Integration Service cannot find the persistent cache file and the recache property is not set, the session fails
- D. A persistent cache can only be used by one mapping

---

**Answer: A**

---

---

**Question: 8**

---

The HTTP Transformation supports which HTTP Methods? (Choose all that apply) Choose 2 answers

- A. DELETE
- B. GET

- C. POST
- D. PUT

---

**Answer: B,C**

---



---

### Question: 9

---

Which of following statements is valid for Dynamic lookups?

- A. Dynamic caching cannot be enabled on a lookup that returns multiple rows per search
- B. A dynamic lookup can only be used with insert mappings, i.e. no update strategies are allowed and the session should be configured as Insert
- C. A dynamic lookup must be cached and persistent
- D. It is possible to update and delete records in a dynamic lookup

---

**Answer: A**

---




---

### Question: 10

---

In the Expression transformation graphic below, what is the value of the PREVIOUS\_STATE port for row 2, given that the value for the STATE port was 'CA' for row 1?



	Port Name	Datatype	Prec	Scale	I	Q	V	Expression
1	STATE	string	255	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	STATE
2	STATE_COUNTER	integer	10	0	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IF[PREVIOUS_STATE = STATE, STATE_COUNTER + 1, 1]
3	PREVIOUS_STATE	string	2	0	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	STATE
4	STATE_COUNTER_OUT	integer	10	0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	STATE_COUNTER

- A. STATE
- B. 'CA'
- C. NULL
- D. Value of the PREVIOUS\_STATE port is based upon its declared default value

---

**Answer: B**

---

## Thank You for trying PR000041 PDF Demo

To Buy Latest PR000041 Full Version Download visit link below

<https://www.certkillers.net/Exam/PR000041>

## Start Your PR000041 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your PR000041 preparation with actual exam questions.

<https://www.certkillers.net>