


**IBM** 

**SPS-201** 

IBM SPSS MBPDA - IBM SPSS Modeler Business

## **QUESTION: 21**

Given the information below, which node would be used to produce the correlation statistic between the fields offpeak\_calls and weekend\_calls?



- A. Matrix node
- B. Statistic node
- C. Histogram
- D. Means node

#### **Answer:** B

#### **Reference:**

ftp://ftp.software.ibm.com/software/analytics/spss/documentation/modeler/14.2/en/Sour ceProcessOutputNodes.pdf, p. 355

### **QUESTION: 22**

Which method would be used on the Merge node in order to combine a file containing 100 products and a file containing 50 suppliers and retain only the matching records?

- A. Inner join
- B. Anti-join
- C. Full outer join
- D. Partial outer join

#### **Answer:** A

## **Reference:**

 $tp://ftp.software.ibm.com/software/analytics/spss/documentation/modeler/14.2/en/SourceProcessOutputNodes.pdf,\ p.72$ 

# **QUESTION: 23**


If a field whose measurement is defined as Continuous has no value recoded, IBM SPSS Modeler will treat it as which type of missing value?

- A. Null
- B. White Space
- C. Empty String
- D. Blank

**Answer:** A

# **QUESTION: 24**

Only terminal nodes (Graphs, Modeling, Output) have a Run button as displayed in the graphic.




- A. True
- B. False

**Answer:** A

**QUESTION: 25** 

What new value will be assigned to the original value Low given the specifications in the Reclassify node below?



- A. -1
- B. 2
- C. 3
- D. 4

**Answer:** A

# Download Full Version From https://www.certkillers.net

















