Vmware

VCPC510

VMware Certified Professional on vCloud

QUESTION: 235
An administrator would like to have vCenter take action any time a virtual machine is using over 90% of its available resources for five minutes or longer. Which three actions can be taken by vCenter Server in response to the trigger without running a script? (Choose three.)

A. Power on a VM
B. Reboot Guest on VM
C. Increase Virtual Machine Memory
D. Migrate a VM
E. Increase Virtual Machine CPU Shares

Answer: A, B, D

QUESTION: 236
An administrator has configured a vSphere Distributed Switch to send all network traffic to a collector virtual machine for analysis. However, after checking the collector virtual machine several hours later the administrator finds that no data has been collected. vSphere 5 has been deployed in the datacenter. Which two items below could be causing this issue? (Choose two.)

A. The source virtual machine does not have Promiscuous Mode enabled.
B. The source and target virtual machines are not located on the same vNetwork Distributed Switch.
C. The port group or distributed port does not have Promiscuous Mode enabled.
D. The port group or distributed port does not have NetFlow enabled.

Answer: B, D

QUESTION: 237
An iSCSI array is being added to a vSphere 5 implementation. An administrator wants to verify that jumbo frames are supported by the proper vSphere components. Which two settings will verify this configuration? (Choose two.)

A. Ensure that the MTU size is set correctly in the virtual switch properties in the vSphere client
B. Run the esxcfg-vswif -l command

C. Ensure that the Enable Jumbo Frames box is checked in the VMkernel interface properties in the vSphere client
D. Ensure that the MTU size is set correctly in the VMkernel interface properties in the vSphere client

Answer: A, D

QUESTION: 238
The performance graph for a virtual machine with 1GB of RAM shows the Swap In rate to be 150 MBps and the Balloon value to be at 0 MB. Users of the virtual machine are complaining that performance is slow. Which two actions could increase performance of the virtual machine? (Choose two.)

A. Install the VMMEMCTL driver on the ESXi host.
B. Increase the memory share value for this virtual machine.
C. Install VMware Tools into this virtual machine.
D. Disable swapping in the virtual machine operating system.

Answer: B, C

QUESTION: 239
The RDP performance for a virtual machine on an ESXi host appears to be degraded. What are two possible causes of the problem? (Choose two.)

A. The virtual machine has a high Ready value.
B. The virtual machine's network adaptor is not configured to Connect at power on.
C. The virtual machine's network adaptor is not configured as connected.
D. The virtual machine is on a physical network that has become saturated.

Answer: A, D

QUESTION: 240
An administrator is troubleshooting an ESXi 5.x host and needs to export diagnostic information. The host is currently managed by a vCenter Server

instance. Which two ways can the information be gathered using the vSphere Client? (Choose two.)

A. Select Home. Under Administration, click System Logs and click the Export System Logs button. Select the affected ESXi host. Select Select All. Select a location and click Finish.
B. In the vSphere Client, select the affected ESXi host. Right-click the host and select Export Diagnostic Data. Select a location and click OK.
C. Log in to the ESXi host locally, Select Export System Logs.
D. In the vSphere Client, select the affected ESXi host. Select File, Export and Export System Logs. Select Select All. Select a location and click Finish.

Answer: A, D

QUESTION: 241
Which two LDAP configurations are supported by vCD? (Choose two.)

A. Windows 2008 R2 with Active Directory and Kerberos SSL authentication
B. SUSE Linux with OpenLDAP and Simple SSL authentication
C. Redhat Linux with OpenLDAP and Kerberos SSL authentication
D. Windows 2008 with Active Directory and Simple SSL authentication

Answer: A, B

QUESTION: 242
What are the two components of vCloud Connector? (Choose two.)

A. Server
B. Node
C. Agent
D. Proxy

Answer: A, B

QUESTION: 243

A 39GB vApp fails to transfer using vCloud Connector to an external cloud provider. What are two potential causes? (Choose two.)

A. A prior transfer was interrupted by a network outage and some temporary storage has not been cleaned up.
B. The vApp was not powered down prior to initiating the move.
C. The default storage allocated for file transfer is 40GB and, of that, 2GB is reserved space.
D. The vApp metadata has a flag set indicating that it is for internal, private cloud use only.

Answer: A, B

QUESTION: 244
The vCloud Director Cell requires a minimum of two network interfaces for its communication. dentify the two names of these connections. (Choose two)

A. Console Proxy
B. Primary Connection
C. HTTP
D. Web Console

Answer: A, C

QUESTION: 245
Which two components are required for a vCloud infrastructure installation? (Choose two.)

A. AMQP Broker
B. vCloud Connector
C. vShield Manager
D. Oracle/MS SQL database

Answer: C, D

QUESTION: 246
Which two steps are part of transferring a virtual machine from one cloud to another using vCloud Connector? (Choose two.)

A. The VM is transferred from source to destination via multipart using checkpoint-restart.
B. A VIM API request is used to tell vCenter to export the VM.
C. A VIM API request is used at the destination to tell vCD to import the VM.
D. The VM is transferred from the source datastore directly to the destination vCD transfer storage.

Answer: A, B

QUESTION: 247
Which three network types are supported by vCloud Director? (Choose three.)

A. External networks
B. Organization vDC networks
C. vApp networks
D. Internal networks
E. Fenced Networks

Answer: A, B, C

QUESTION: 248
Which of the following are resource types available in vCenter Chargeback Manager? (Choose two.)

A. VMware vCenter Server
B. VMware ESXi host
C. vCenter Orchestrator
D. Cost Model

Answer: A, D

QUESTION: 249
Which two network settings are only available with vSphere Distributed Switches (Choose Two)?

A. Ingress Traffic Shaping
B. Egress Traffic Shaping
C. Route based on physical NIC load
D. Route based on the originating virtual port ID

Answer: A, C

QUESTION: 250
Which two actions must an administrator take before deleting a vApp network? (Choose two.)

A. Disconnect the vShield Edge device.
B. Shut down all VMs within the vApp.
C. Shut down the vApp.
D. Disconnect all connected VMs.

Answer: C, D

Download Full Version From https://www.certkillers.net

Pass your exam at First Attempt....Guaranteed!